Vantage™ LD Ledge Light



PROJECT NAME

TYPE

CATALOG #

QUANTITY


NOTES

The LD features a snap-on lens that speeds installation and simplifies service.

Quick Facts

- Slender luminaire delivers an optimal amount of light exactly where it's needed
- Surface-mounted with stainless steel hardware
- Compatible with the Luxor® Low-Voltage CUBE for powerline zoning and smooth dimming
- Available in a warm (2700K) and soft (3000K) color temperatures.
- Meets ADA requirements for sconce depth from wall
- DarkSky approved with a U0 BUG rating for a glare-free experience
- Available in a wide range of powder-coated finishes to suit all exterior designs and preferences

LD Dimensions



LD Specifications Chart

Output	G4 1.3VA
Total Lumens (lm)	75
Input Voltage (V)	10 to 15
Power Consumption (VA)	1.3
Efficacy (Lumens/Watt)	62
Color Rendering Index (CRI)	83+
Maximum Candelas (cd)	32
Dimming	
Primary Dimming (Transformer)	Consult transformer specifications
Secondary Dimming (Fixture)	Phase-cut**
Minimum Rated Life (L70)	33,000 Hrs

Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	E2

ADDITIONAL CERTIFICATIONS

UL 1838

Model Configurator

LD			
MODEL	LAMP	LED COLOR	FINISH

LAMP

- ☐ **E2** — 1.3 VA G4 LED Lamp (Eco Lamp Series)
- ☐ **LED20** — 1.3 VA G4 Lamp (20W equivalent Lamp)

LED COLOR

- ☐ **W** — Warm (2700K)
- ☐ **S** — Soft (3000K)

FINISH

- **BZ** Bronze Metallic
- **FB** Black
- **SB** Sedona Brown
- **DG** Desert Granite
- **WI** Weathered Iron
- **FW** Flat White
- **SV** Silver
- **CU** Natural Copper

Accessories

POWER



MT-6W
Plug-In Transformer, 6 W



ST-UV
Step-Down Transformer, UV (120/277 V to 12 V)



SURGE-MOD
Surge Protection Module



LCM-LV
Luxor Cube - Low-Voltage



DIM-LV
Low-Voltage Dimmer

SPLICING



WCHSBS2
Brass Lug Wire Connectors, 2-pack



WCHSBS50
Brass Lug Wire Connectors, 50-item Bulk Pack



WCHSSM20
Heat Shrink Wire Connectors, 20-pack, Small



WCHSMD20
Heat Shrink Wire Connectors, 20-pack, Medium