Stella™ MR Accent Light



PROJECT NAME

TYPE

CATALOG #

QUANTITY


NOTES

These lamped, copper and brass accent lights offer the elegance and performance of precious metals, serving as a chic supplement to lighting projects in humid environments.

Quick Facts

- Premium, corrosion-resistant copper and brass construction protects internal and external elements of the fixture
- Utilizes a premium lamp socket with a ceramic base and retaining clips for a secure and long-lasting hold
- Features ProAim® adjustability with compress-and-lock features to prevent slip after installation and over 220° of vertical adjustability
- Sturdy ground stake and rotational Lock Ring included for maximum sercurity and adjustability
- Angled or straight glare-control options

MR Dimensions



MR Spec Chart

Output	20
Total Lumens	185
Input Voltage	12V
Input Power (W)	20

Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	ECO20

Model Configurator

MR					
MODEL	LAMP	LED COLOR	OPTIC	GLARE CONTROL	FINISH

LAMP

- **ECO20** — 4.2 VA LED MR-11 lamp (ECO lamp series)
- **NL** — Lamp Not Included

LED COLOR

- **[Default]** — No Lamp
- **W** — Warm (2700K)
- **S** — Soft (3000K)

OPTIC

- **[Default]** — NL Lamp
- **FL** — Flood (35°)

GLARE CONTROL

- **[Default]** — Flat Shroud
- **LS** — 45° Angled Long Shroud

FINISH

- **CU** — Natural Copper

Accessories

MOUNTING



PM-XX* PM
Post Mount



VB-050-XX* VB-050
VersaBox® Mount with ½" Thread



250015840000
Long Slot Spike



250020020000
Three-Prong Spike



SJ-XX* SJ
Super J-Box Spike



YY*-R-GT-XX*
1.0" (25 mm) Copper Riser for GT Path Light



PARS
ProAim® Ratcheting Spike



250030410000SP
Lock Ring