Vantage™ MU Accent Light



PROJECT NAME
TYPE
CATALOG #
QUANTITY
NOTES

Versatile with functionality to spare, this aluminum accent light is ideal for any outdoor setting.

Quick Facts

- Built with durable, lightweight aluminum housing that withstands any weather condition
- Utilizes a premium lamp socket with a ceramic base and retaining clips for a secure and long-lasting hold
- Features ProAim® adjustability with compress-and-lock features to prevent slip after installation and over 220° of vertical adjustability
- Sturdy ground stake and rotational Lock Ring included for maximum sercurity and adjustability
- Built-in, spring-loaded lamp positioning for maximum control over glare and photometry
- Short and long shroud faceplate designs maximize performance in any application
- Available in a warm (2700K) and soft (3000K) color temperatures
- Available in a wide range of powder-coated finishes to suit all exterior designs and preferences

Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	ECO20

LISTINGS

ADDITIONAL CERTIFICATIONS

UL 1838

Model Configurator

MU							
MODEL	LAMP	LED COLOR	OPTIC	COMPLIANCE	GLARE CONTROL	FINISH	PACKAGING

LAMP

- ☐ **ECO20** — 4.2 VA LED MR-11 lamp (ECO lamp series)
- ☐ **LED20** — 4.3 VALED MR-16 Lamp (PRO Lamp Series)
- ☐ **LED35** — 5.4 VA LED MR-16 Lamp (PRO Lamp series)
- ☐ **LED50** — 6.5 VA LED MR-16 Lamp (LED Lamp series)
- ☐ **NL** — Lamp Not Included
- ☐ **ZD35** — 5.4 VA LED MR-16 Lamp (ZD Lamp series
- ☐ **E6** — 6.0 VA MR-16 Lamp (Eco Lamp Series)
- ☐ **E9** — 9.0 VA MR-16 Lamp (Eco Lamp Series)
- ☐ **P4** — 4.3 VA LED MR-16 Lamp (PRO Lamp series)
- ☐ **P5** — 5.4 VA LED MR-16 Lamp (PRO Lamp series)
- ☐ **P6** — 6.5 VA LED MR-16 Lamp (PRO Lamp series)
- ☐ **ZD5** — 5.4 VA LED MR-16 Lamp (ZD Lamp series)

LED COLOR

- ☐ **[Default]** — No Lamp
- ☐ **W** — Warm (2700K)

OPTIC

- ☐ **[Default]** NL Lamp
- ☐ **FL** Flood (35°)
- ☐ **WF** Wide Flood (60°)

COMPLIANCE

- ☐  **[Default]** North America (UL Listed)
- ☐  **E** International (CE Certified)

GLARE CONTROL

- ☐ **[Default]** Short Shroud
- ☐ **LS** Long Shroud

FINISH

- ☐ **BZ** Bronze Metallic
- ☐ **FB** Black
- ☐ **SB** Sedona Brown
- ☐ **DG** Desert Granite
- ☐ **WI** Weathered Iron
- ☐ **FW** Flat White
- ☐ **SV** Silver

PACKAGING

- ☐ **[Default]** Normal Packaging
- ☐ **BP12** 12 Pack

Accessories

MOUNTING

- ☐  **PM-XX*** PM Post Mount
- ☐  **GM-XX*** GM Ground Mount with ½" Thread



VB-050-XX* VB-050
VersaBox® Mount with ½" Thread



TB-XX* TB
TreeBox® Mount with ½" Thread



250015840000
Long Slot Spike



VHR-UL VHRUL
Variable Height Riser for Up Lights



WM-XX* WM
Wall Mount Knuckle



WP-1G-050-XX* WP-1G-050
Single-Gang Wall Plate with ½" Thread



GM-SS
Gutter Mount



COUP-XX* COUP
Straight Coupling



TMNT-050-XX* TMNT-050
T-Mount Coupling with ½" Thread



TR-YY*-8P-XX* TR
Tree Ring



eKitSpike
CE Certified Spike



LG-NF
LG Lite Guard



MJB-050-XX* MJB-050
Mini J-Box for ½" Thread



753900
Super Slot Spike



250020020000
Three-Prong Spike



SJ-XX* SJ
Super J-Box Spike



MM-050-XX* MM-050
Mini Mount



WP-RD-050-XX* WP-RD-050
Round Wall Plate with ½" Thread

YY*-R-XX*
Aluminum Riser, ¾" Diameter



ELBW-050-XX* ELBW-050
90° Coupling



YY*-R-SL-XX*
Sign Light Riser, Aluminum



PARS
ProAim® Ratcheting Spike



250030410000SP
Lock Ring

POWER



MT-6W
Plug-In Transformer, 6 W



ST-UV
Step-Down Transformer, UV (120/277 V to 12 V)



SURGE-MOD
Surge Protection Module



ST-120-DIM
Step-Down Transformer, Dimmable (120 V to 12 V)



MT-30W
Mini Plug-In Transformer, 30 W



DIM-LV
Low-Voltage Dimmer

SPLICING



WCHSBS2
Brass Lug Wire Connectors, 2-pack



WCHSBS50
Brass Lug Wire Connectors, 50-item Bulk Pack



WCHSSM20
Heat Shrink Wire Connectors, 20-pack, Small



WCHSMD20
Heat Shrink Wire Connectors, 20-pack, Medium