Runa™ MM Wall Light




PROJECT NAME
TYPE
CATALOG #
QUANTITY
NOTES

Small aluminum knuckle with ½" thread allows you to surface-mount directional down lights. Included with FX Luminaire directional down lights. Dimensions: 2.6" x 1.3" (650 mm x 320 mm).


Quick Facts


- Minimal visible hardware for a clean and elegant design, day or night
- Frosted glass lens provides soft, even light distribution
- Surface-mounted with stainless steel hardware
- Available in a warm (2700K) color temperature
- Meets ADA requirements for sconce depth from wall
- DarkSky approved with a U0 BUG rating for a glare-free experience

MM Dimensions



MM Photometrics





Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	E4

Model Configurator

MM				
MODEL	LAMP	LED COLOR	CONFIGURATION	FINISH

LAMP

☐	**E4** 6.2 VA MR-16 Lamp (Eco Lamp Series)
☐	**LED20** 4.3 VALED MR-16 Lamp (PRO Lamp Series)

LED COLOR

- **W** — Warm (2700K)
- **S** — Soft (3000K)

CONFIGURATION

- **050** — 1/2"

FINISH

- **BS** — Natural Brass
- **BZ** — Bronze Metallic
- **FB** — Black
- **SB** — Sedona Brown
- **DG** — Desert Granite
- **WI** — Weathered Iron
- **FW** — Flat White
- **SV** — Silver

Accessories

POWER



- **MT-6W** — Plug-In Transformer, 6 W



- **ST-UV** — Step-Down Transformer, UV (120/277 V to 12 V)



- **SURGE-MOD** — Surge Protection Module



- **LCM-LV** — Luxor Cube - Low-Voltage