Garden™ DS Path Light




PROJECT NAME
TYPE
CATALOG #
QUANTITY
NOTES

For high-traffic areas where durability is a must, the proven design of the DS and DR Path Lights offers controlled, glare-free illumination, long field life, and easy repairs.


Quick Facts

- Built with durable, lightweight aluminum housing that withstands any weather condition
- Compatible with the Luxor® Low-Voltage CUBE for powerline zoning and smooth dimming
- Available in a wide range of powder-coated finishes to suit all exterior designs and preferences

DS Dimensions



DS Photometrics





Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	NL

ADDITIONAL CERTIFICATIONS

UL 1838

Model Configurator

DS					
MODEL	LAMP	LED COLOR	OPTIC	RISER	FINISH

LAMP

- [ ] **NL** — Lamp Not Included

LED COLOR

- [ ] **[Default]** — No Lamp

OPTIC

- [ ] **[Default]** — NL Lamp

RISER

- [ ] **12R** — 12'' Riser
- [ ] **18R** — 18'' Riser
- [ ] **24R** — 24'' Riser

FINISH

- [ ] **BZ** — Bronze Metallic
- [ ] **FB** — Black
- [ ] **SB** — Sedona Brown
- [ ] **DG** — Desert Granite
- [ ] **WI** — Weathered Iron
- [ ] **FW** — Flat White
- [ ] **SV** — Silver

Accessories

MOUNTING



PM-XX* PM
Post Mount



GM-XX* GM
Ground Mount with ½" Thread



VB-050-XX* VB-050
VersaBox® Mount with ½" Thread



MJB-050-XX* MJB-050
Mini J-Box for ½" Thread



753900
Super Slot Spike



250015840000
Long Slot Spike



250020020000
Three-Prong Spike



SJ-XX* SJ
Super J-Box Spike



PARS
ProAim® Ratcheting Spike

POWER



MT-6W
Plug-In Transformer, 6 W



ST-UV
Step-Down Transformer, UV (120/277 V to 12 V)



SURGE-MOD
Surge Protection Module



LCM-LV
Luxor Cube - Low-Voltage