
NP-ZDC-FB



Product Model:
Designer™ NP
SKU:
NPZDCFB
Description:
Zoning, diming, color. 11.OVA, RGBW, 45 angled shroud, UL listed, black finish.
Description:
Zoning, diming, color. 11.OVA, RGBW, 45 angled shroud, UL listed, black finish.
UPC-A:
0611698064580

NP Dimensions



Show Summary in Full View
Off

NP Spec Chart

Output	3LED
Total Lumens †	290
Input Voltage	10 to 15V
Input Power (W)	4.0
Power Consumption (VA)	4.4
Efficacy (lm/W)	74
Color Rendering Index (CRI)	83
Center Beam Candlepower*	
Flood (35)	571
Dimming	
Primary Dimming (Transformer)	Consult tran
Secondary Dimming (Fixture)	Phase-cut**
RGBW Available	No
Luxor Compatibility	
Default	Zoning
ZD Option	Zoning/Dim
ZDC Option	--

Output	3LED	6LED	9LED	ZDC
Minimum Rated Life L70 (Hrs)	72,000	72,000	72,000	55,000

* Information for Spot or Wide Flood available in IES files
** For optimal performance, use a trailing-edge, phase-cut dimmer
† Measured using the 2,700K CCT option

Show Summary in Full View
Off

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

https://fxl.com/product/designertm-np/np-zdc-fb
110626