Stella™ PF Path Light



PROJECT NAME

TYPE

CATALOG #

QUANTITY


NOTES

Perfect for tight garden spaces or urban rooftop gardens, these sleek copper and brass path lights offer durability and unmatched beauty.

Quick Facts

- Built-in Luxor® Technology enables powerline zoning and smooth PWM dimming with the industry-leading Luxor Controller
- Premium, corrosion-resistant copper and brass construction protects internal and external elements of the fixture
- Driver on Board Technology layout for compact design and fewer components
- Built-in Luxor® Technology enables powerline zoning and smooth PWM dimming with the industry-leading Luxor Controller
- Available in a warm (2700K) color temperature

PF Dimensions



Technical Specifications

About FX Luminaire

As a leading manufacturer of landscape and architectural lighting, FX Luminaire provides innovative products, resources, and support to help customers bring their visions to life. The company offers a range of specification-driven solutions, including fixtures, controls, and accessories, to enhance residential and commercial landscapes.

CONSTRUCTION

LED	LED20

ADDITIONAL CERTIFICATIONS

CB Scheme, UL 1838

Required accessory for CE compliance: GM-XX

Model Configurator

PF					
MODEL	LAMP	LED COLOR	OPTIC	RISER	FINISH

LAMP

- ☐ **LED20** — 1.3 VA G4 Lamp (20W equivalent Lamp)
- ☐ **NL** — Lamp Not Included

LED COLOR

- ☐ **[Default]** — No Lamp
- ☐ **W** — Warm (2700K)

OPTIC

- ☐ **[Default]** — NL Lamp

RISER

- ☐ **12R** — 12'' Riser
- ☐ **18R** — 18'' Riser

FINISH

- ☐ **CU** — Natural Copper

Accessories

MOUNTING

- ☐  **PM-XX*** PM — Post Mount
- ☐  **GM-XX*** GM — Ground Mount with ½" Thread



VB-050-XX* VB-050
VersaBox® Mount with ½" Thread



MJB-050-XX* MJB-050
Mini J-Box for ½" Thread



753900
Super Slot Spike



250015840000
Long Slot Spike



250020020000
Three-Prong Spike



VHR-UL VHRUL
Variable Height Riser for Up Lights



SJ-XX* SJ
Super J-Box Spike



YY*-R-GT-XX*
1.0" (25 mm) Copper Riser for GT Path Light



PARS
ProAim® Ratcheting Spike

POWER



MT-6W
Plug-In Transformer, 6 W



ST-UV
Step-Down Transformer, UV (120/277 V to 12 V)



SURGE-MOD
Surge Protection Module



LCM-LV
Luxor Cube - Low-Voltage